



NT 55/1 Tact Te M

Handy, commercial wet/dry vacuum cleaner with innovative, patented, auto filter cleaning system - TACT - and completely equipped with accessory. With stepless speed control, tele-electronic socket with On-/Off-automatic for power tools. These versions accord to all European standards and therefore they are qualified and licensed for the suction of harmful dusts of dust class M.



1 Tact system (Auto Filter Clean System)

2 Electronic volume flow monitoring system



NT 55/1 Tact Te M

- Antistatic system
- Autostart feature (for power tools)
- Electronic volume flow monitoring system

Technical data

Order Number	1.146-823.0	
EAN code	4039784722637	
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	55
Max. rated input power	W	bis zu 1380
Standard nominal size		35
Sound level	dB(A)	67
Weight	kg	17,2
Dimensions (L x W x H)	mm	580 x 375 x 864

Equipment

Suction hose	m	2,5	Push handle	■
Filter bag		Fleece	Safety class	I
Wet and dry floor tool	mm	300	Caster with brake	■
Crevice nozzle		■	Filter cleaning	Tact Filter Clean
Connector for electric tools		■	Dust class	M
Drain hose		■		
Automatic on/off control for electric power tools		■		
Antistatic system		■		
Eco filter system		■		
Flat pleated filter		Paper		
Sturdy bumper		■		

■ Included in delivery.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0

KÄRCHER



		Order Number	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Flat pleated filter (paper)									
Flat filter only for replacement Kaerche	1	6.904-367.0	1 piece(s)					Paper, dust class M.	<input checked="" type="checkbox"/>
Fleece filter bags (3 ply)									
	2	6.907-480.0	5 piece(s)						<input checked="" type="checkbox"/>
Flat pleated filter (PES)									
Flat pleated filter (PES)	3	6.904-360.0	1 piece(s)					Polyester fleece, rot-proof, BIA-C dust class M.	<input type="checkbox"/>
	4	6.904-190.0	1 piece(s)						<input type="checkbox"/>
Membrane filter / fabric filter									
Membrane filter/fabric filter	5	6.904-212.0	1 piece(s)					Polyester needle felt, washable (40 °C).	<input type="checkbox"/>
HEPA filter for dust class H									
HEPA surface filter	6	6.904-242.0	1 piece(s)					HEPA surface filter, dust class H (H 14).	<input type="checkbox"/>
Special filter bags, wet filter bags									
Filter bag 5St. Kae.	7	6.904-211.0	5 piece(s)					Dust class L, general cleaning, dry and wet, tear-resistant.	<input type="checkbox"/>
Flachfaltenfilter (PTFE)									
	8	6.907-455.0	1 piece(s)						<input type="checkbox"/>
Paper filter (2 ply)									
Paper filter bags NT 561 Eco - 611 Eco + models x5	9	6.904-208.0	5 piece(s)					BIA-C dust class M (also suitable for NT 351 Eco/profi).	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Plastic bend	1	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	■
	2	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
Plastic bend, C-ID 32	3	4.408-051.0	1 piece(s)	ID 32				Plastic with C-32 clip system.	□
Plastic bend	4	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
Crevice nozzles									
Crevice nozzle DN35	5	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	6	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	7	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	8	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Crevice nozzle DN35	9	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
Suction tubes metal									
Suction tube DN35	10	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
Suction tube	11	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□
Suction hoses (Clip-system)									
Suction hose	12	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	■
Suction hose (clip system), C 35, el.	13	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	□
Suction hose	14	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	□
Suction hoses complete (Clip-system)									
Suction hose	15	4.440-653.0	1 piece(s)	ID 35	2,5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	■
Adapter for electric power tools, clip on, el.									
Sleeve for tool C35EL	16	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■
Adapter for electric power tools, C 35, el.	17	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	□
Connecting sleeve for electric tool C 35, el.	18	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	□
Adapter for electric power tools, C 35, el.	19	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	□
Connecting sleeve for electric tool C 35, el.	20	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description		
Connecting sleeve for electric tools C 35, el.	21	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>	
Nozzle sets										
Nozzles set DN35	22	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>	
Bend stainless										
Bend, stainless steel ID 35	23	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>	
Bend, stainless steel ID 40	24	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>	
All-purpose brushes										
All-purpose brush	25	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>	
All-purpose nozzles (wet/dry)										
Floor tool DN35	26	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Floor tool DN40-370	27	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Floor tool neutrally DN40	28	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Floor tool neutrally DN35	29	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Floor tool DN35	30	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Floor tool DN40	31	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	<input type="checkbox"/>	
Car cleaning nozzles										
Car nozzle DN35	32	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>	
Rubber tool										
Rubber nozzle, ID 40	33	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>	
Rubber suction tools, nose 45°										
Rubber suction tools, nose 45°	34	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>	
	35	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>	
Radiator brushes										
Brush heating element	36	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	<input type="checkbox"/>	
Combi-nozzles (dry)										
Combination floor tool (dry)	37	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>	
Pipe dusting nozzles										
BRUSH	38	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>	
	39	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description		
Suction brushes										
Suction brush DN35	40	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>	
Turbo nozzle										
Upholstery nozzle TURBO	41	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>	
Floor tool TURBO DN 35/32	42	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>	
Suction tubes stainless steel										
Suction tube, ID 40	43	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>	
Suction tube	44	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>	
Extension tube, metal										
Extension tube, metal, ID 35	45	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>	
Repair kits										
Repair set, C 35	46	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>	
Repair kit, ID 35, el.	47	2.862-077.0	1 piece(s)	ID 35				Repair kit for suction hose, electrically conductive. Optional for NT 351 Eco/Profi, NT 551/BS/Profi	<input type="checkbox"/>	
Connecting sleeves										
Connecting sleeve, ID 27, el.	48	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>	
Adapter, DN 32/35, with internal thread	49	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>	
Adapter, DN 40 with internal thread	50	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>	
Extension hoses (Clip-system)										
Extension hose C 32-, C 35-Clip-system, el.	51	6.906-277.0	1 piece(s)	ID 32	2,5 m			for all C-32 and C-35 hoses, electrically conductive.	<input type="checkbox"/>	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)										
C-ID 35 adapter	52	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>	
C 40 adapter	53	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>	
C-DN 40 adapter	54	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>	
Adapter for electric power tools, screwable										
Adapter for electric power tools, screwable, ID 35	55	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.	<input type="checkbox"/>	
Power tool adapter, threaded, DN 35	56	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>	
Adapter for electric power tools, screwable, ID 35	57	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Power tool adapter, threaded, DN 35	58	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	59	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	60	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	61	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Sleeve C40 / C35	62	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	63	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	64	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves									
Set reducing / extension sleeves	65	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 55/1 TACT TE M

1.146-823.0



		Order Number	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.