



#### **B 150 R**

Productive and flexible ride-on scrubber dryer with a host of innovations.

#### 1 Configurable machine

- Equipment details freely selectable.
- Perfect adaptation of the machine to cleaning requirements.

#### 3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect a fresh water hose and the filling stops automatically as soon as the tank is full.

#### 2 KIK system


- Increased security against incorrect operation.
- Reduction in service costs.

#### 4 4 batteries to choose from

■ Battery types: maintenance-free with 36 V/180 Ah, low-maintenance with 36 V/180 Ah, maintenance-free with 36 V/240 Ah, low-maintenance with 36 V/240 Ah.

#### **TECHNICAL DATA AND EQUIPMENT.**





#### B 150 R

Technical data		
Order Number		1.246-020.2
EAN code		4039784972452
Working width, brush	mm	750
Working width, vacuum	mm	940
Fresh / waste water tank	1	150 / 150
Theoretical area performance	m²/h	4500
Brush rotation speed	rpm	180-1300
Brush contact pressure	g/cm²	34-560
Battery voltage	V	36
Weight	kg	560
Dimensions (L x W x H)	mm	1790 × 910 × 1410

Equipment	
Battery type	separate
DOSE	-































	_	1	1			1		$\top$
					Quanti-			
		Order Number	Length	Colour	ty	Price	Description	
Miscellaneous								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)			•
KIK key, grey	2	5.035-348.0		grey	1 piece(s)			
Filling hose	3	6.680-124.0	1,5 m		1 piece(s)			
	4	4.035-076.0		white	1 piece(s)			
Set RFID Schluessel gelb	5	4.035-408.0		yellow	5 piece(s)			
	6	4.035-064.0		white	5 piece(s)			
	7	2.643-310.0			1 piece(s)			
Add-on kit eco!zero	8	5.388-133.0			1			
	9	2.034-000.0			piece(s)			
Cleaning tool kit accessories		·		'	_			
	10	4.035-514.0			1 piece(s)			
Set Homebase Box	11	4.035-406.0			1 piece(s)			
Adapter Homebase	12	5.035-488.0			1 piece(s)			
Double hook	13	6.980-077.0			1 piece(s)			
Holder handhold grey	14	6.980-078.0			1 piece(s)			
Holder bottle	15	6.980-080.0			1 piece(s)			
	16	4.035-515.0			1 piece(s)			
	17	4.070-075.0			1 piece(s)			
Wheels/tyres		1			piccc(3)			_
Front wheel, traction	18	6.435-810.0		purple	1 piece(s)			
	19	6.438-006.0		grey	1 piece(s)			
	20	6.438-008.0			p.:22(0)			
RM Dosierstation								
Cleaning agent dosage kit, wall mounted DS 3	21	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	













		T	Г						_
		Order Number	Hardness/ Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes for BR									
Roller brush	1	6.906-985.0	soft	700 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.	
	2	6.906-936.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear- resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	
Roller brush red for replacement BR 75	3	4.035-190.0	medium	700 mm	red	1 piece(s)			
Roller brush	4	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.	
	5	6.906-987.0	hard	700 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 75.	
	6	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremly sticky dirt and for for deep cleaning for unsensitive surfaces only. Fits to brush head R 75.	,
	7	6.906-989.0	soft	800 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits R 90.	
	8	6.906-937.0	medium	800 mm	red	1 piece(s)		Medium, for all floors. Standard with R 90.	
	9	6.907-377.0	medium	800 mm	red	1 piece(s)			
	10	6.906-991.0	hard	800 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 90.	
	11	6.906-992.0	very hard	800 mm	black	1 piece(s)		Very hard, for extremly sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 90.	
	12	6.906-990.0	high / low	800 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 90.	

<sup>■</sup> Included in delivery. □ Available accessories.













		Order Number	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description	
Roller pad shaft			1	1	_				
Pad roller shaft	1	4.762-434.0		700 mm				fits R 75	
	2	4.762-435.0		800 mm					
Roller pads									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft									
Microfibre roller	6	4.114-007.0	Microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	
	7	4.114-008.0	Microfibre	800 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-435.0. Fits on R 90.	

<sup>■</sup> Included in delivery. 

□ Available accessories.











		Order Number	Hardness/ Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc Brushes for BD									
Disc brush	1	4.905-019.0	very soft	385 mm	white	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
	2	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	
	3	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium, for all floors. Standard with D 75.	
	4	4.905-021.0	hard	385 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.	
	5	4.905-005.0	very soft	450 mm	white	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	
	6	4.905-004.0	soft	450 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	
	7	4.905-003.0	medium	450 mm	red	1 piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For norma use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	
	8	4.905-006.0	hard	450 mm	black	1 piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	

<sup>■</sup> Included in delivery. 

□ Available accessories.





















		Order Number	Hardness/ Brush type	Diameter	Colour	Quanti-	Price	Description	
Microfibre pad									1
Microfibre pad	1	6.369-960.0	Microfibre	457 mm	white	5 piece(s)		Excellent cleaning power. Cleans even pores of fine stonware tiles.	٠
	2	6.371-078.0	Microfibre	381 mm	white	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	,
Pads									ı,
Pad	3	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning al floors. Suitable for, e.g. D 75.	1
	4	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75	
	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.		
	6	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning al floors. Suitable for, e.g. D 90.	I
	7	6.369-023.0	medium-hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90	
	8	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	
Pad drive board									
Pad drive board	9	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
	10	4.762-493.0		445 mm		1 piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	
Diamond pads									
Diamond pad	11	6.371-252.0	coarse	385 mm	white	5 piece(s)			
	12	6.371-258.0	coarse	457 mm	white	5 piece(s)			
	13	6.371-253.0	medium	385 mm	yellow	5 piece(s)			
	14	6.371-259.0	medium	457 mm	yellow	5 piece(s)			Ī
	15	6.371-236.0	fine	385 mm	green	5 piece(s)			
	16	6.371-239.0	fine	457 mm	green	5 piece(s)			Ī

<sup>■</sup> Included in delivery. 

Available accessories.



















		Order Number	Length	Colour	Quanti- ty	Price	Description	
Suction bar, complete								
Squeegee	1	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	2	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	3	4.777-403.0	1060 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee, blades of oil-resistant, transparent polyurethane.	
	4	4.777-413.0	1060 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee, blades of oil-resistant, transparent polyurethane.	
	5	4.777-078.0	1200 mm	transparent	1 piece(s)			
	6	4.777-081.0	1100 mm	transparent	1 piece(s)			
Squeegees for suction bars								
Suction lips	7	6.273-208.0	960 mm	transparent	2 parts		Standard, grooved, oil-resistant.	
	8	6.273-205.0	960 mm	transparent	2 parts		Slotted, oil-resistant, for sensitive floors.	
	9	6.273-214.0	960 mm	blue	2 parts		Grooved, natural rubber.	
	10	6.273-291.0	960 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	
	11	6.273-206.0	1080 mm	transparent	2 parts		Slotted, oil-resistant.	
	12	6.273-209.0	1080 mm	transparent	2 parts		Standard, grooved, oil-resistant.	
	13	6.273-215.0	1080 mm	blue	2 parts		Grooved, natural rubber.	
Suction lip	14	6.273-293.0	1080 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	
Rubber lip set corrugated oil resis-	15	6.273-016.0	1334 mm	transparent	2 parts			
tant	16	6.273-025.0	1222 mm	transparent	2 parts			

<sup>■</sup> Included in delivery. 

Available accessories.











		Order Number		P	Price	Description	
Brush heads			'				
Brush-head R 75	1	2.763-006.0				Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush-head D 75	2	2.763-005.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush-head R 90 S	3	2.763-007.0					
Brush-head D 90 S	4	2.763-008.0					

<sup>■</sup> Included in delivery. 

□ Available accessories.







		Order Number	Length	Diameter	Quanti- ty	Price	Description	
Spray extraction mounting kit								
Spray extraction moonting fac	1	2.642-058.0			1 piece(s)			
Other attachment kits								
Suction hose accessories	2	4.444-015.0	3,25 m		1 piece(s)			
	3	4.035-516.0			1 piece(s)			
Auto-Fill	4	4.035-345.0			1 niece(s)		Automatic clean water refill system with auto-stop function, when tank is full	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.







		Order Number	Quantity	Battery volta-	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	4.035-988.0	1 piece(s)	36 V	180 Ah	low mainte- nance			
	2	4.654-307.0	6 parts	36 V	180 Ah	mainte- nance- free			
	3	4.654-306.0	6 parts	36 V	240 Ah	mainte- nance- free			
	4	4.035-987.0	1 piece(s)	36 V	240 Ah	low mainte- nance			
Accessories for batteries									
Box with wall holder	5	2.641-243.0	1 piece(s)			low mainte- nance		Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	
Вох	6	2.641-244.0	1 piece(s)			low mainte- nance			

<sup>■</sup> Included in delivery. 

Available accessories.





	Order Number	Quantity	ID	Width	Length	Price	Description	
Sonstiges								
Cleaning agent container, complete	_	1 piece(s)						

<sup>■</sup> Included in delivery. 

Available accessories.





		Order Number	Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Standard side brush	1	6.951-073.0			390 mm		Moisture-proof universal bristles, longlife, suitable for all surfaces	

<sup>■</sup> Included in delivery. 

Available accessories.