



NT 75/2 Ap Me Tc

Powerful, twin-motor wet & dry vacuum with tilting stainless steel waste container. Featuring the Ap semi-automatic filter clean system for constantly high suction power.



1 On-board practical storage

- Large on-board storage area for tool and accessory storage.



2 Integrated drain hose

- Easily accessible drain hose for convenient liquid disposal.



3 ApClean (semi-automatic filter cleaning system)

- The free filter means that the user can work for long intervals without interruption.
- Optimal suction power with high efficiency.



4 Hose and bend attachment

- Convenient suction hose and bend attachment for easy transport and storage.



NT 75/2 Ap Me Tc

- Semi-automatic filter cleaning system
- Tilting chassis
- Flat pleated filter (dust class M)

Technical data

Order Number	1.667-292.0	
EAN code	4039784727298	
Air flow	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	75
Max. rated input power	W	max. 2760
Standard nominal size		40
Cable length	m	10
Sound level	dB(A)	73
Container material		Stainless steel
Quantity of motors		2
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	26,5
Dimensions (L x W x H)	mm	700 x 505 x 995

Equipment


Suction hose	m	4	Bend	■
Metal suction tube, 2 x 0.5 m		■	Sturdy bumper	■
Filter bag		Paper	Push handle	■
Wet and dry floor tool	mm	360	Safety class	II
Crevice nozzle		■	Caster with brake	■
Drain hose (oil-resistant)		■	Filter cleaning	ApClean (semi-automatic filter cleaning system)
Auto shutdown when max. level is reached		■	Maintenance-free suction fans	piece(s) 2
Eco filter system		■		
Stainless steel container		■		
Flat pleated filter		Paper		
Tilting chassis		■		

■ Included in delivery.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Anzahl	Dummy	Dummy	Dummy	Price	Description		
Flat pleated filter (paper)										
Flat pleated filter	1	6.904-283.0	1 piece(s)					Paper, dust class M (also NT 65/2 Ap opt. for NT 75/2 Ap Me Tc models).	<input checked="" type="checkbox"/>	
Paper filter (2 ply)										
Filter bags 5St. -NT 65/2 ECO	2	6.904-285.0	5 piece(s)					Dust class M, 3-ply, reinforced outer ply, tear-resistant.	<input checked="" type="checkbox"/>	
Flat pleated filter (PES)										
Flat filters (PES)	3	6.904-284.0	1 piece(s)					Polyester fleece, rot-proof, dust class M. (Also for NT 65/2 AP Me Tc and NT 72/2 Ap Me Tc).	<input type="checkbox"/>	
Flachfaltenfilter (PTFE)										
	4	6.907-449.0	1 piece(s)						<input type="checkbox"/>	
Membrane filter / fabric filter										
Membrane filter/fabric filter	5	6.904-282.0	1 piece(s)					Polyester needle fleece, dust class M, washable (40 °C). Not suitable for dust class H.	<input type="checkbox"/>	
HEPA filter for dust class H										
HEPA surface filter	6	6.904-364.0	1 piece(s)					HEPA surface filter, dust class H (H 14).	<input type="checkbox"/>	
Plastic sacks for dust-free disposal										
Plastic sacks for dust-free disposal	7	6.900-698.0	10 piece(s)					PE plastic sack. Plastic sacks for dust-free disposal.	<input type="checkbox"/>	
Special filter bags, wet filter bags										
Special filter bags, wet filter bags	8	6.904-252.0	5 piece(s)						<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



1-2, 4



3



5, 9



6-8



10-11



12-13



14-15



16

		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Plastic bend	1	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	■
	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
All-purpose nozzles (wet/dry)									
Floor tool DN40	5	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	6	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	7	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	8	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool DN35	9	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	10	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
Crevice nozzle DN35	11	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	12	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	13	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	14	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	15	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Suction hoses (Clip-system)									
Suction hose	16	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	■
Suction hose (clip system), C 40, 10 m	17	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hose	18	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
	19	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
Suction hose (Clip-system), C 40, 16 m	20	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	21	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hoses complete (Clip-system)									
Suction hose	22	4.440-678.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	<input checked="" type="checkbox"/>
Suction hose, complete (clip system), C DN 40, 4 m	23	4.440-679.0	1 piece(s)	ID 40	4 m			4 m electrically non-conductive suction hose with bend (C-DN 40) and module (4.060-474.0), bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose complete (Clip-system), C ID 40, 4 m, el.	24	4.440-728.0	1 piece(s)	ID 40	4 m			With bend and module (4.060-533.0), electrically conductive.	<input type="checkbox"/>
Bend stainless									
Bend, stainless steel ID 35	25	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	26	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	27	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	28	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>
All-purpose brushes									
All-purpose brush	29	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	30	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Rubber tool									
Rubber nozzle, ID 40	31	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	32	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	33	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Radiator brushes									
Brush heating element	34	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	35	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	36	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	37	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0,5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	38	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1,0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	39	6.902-154.0	1 piece(s)	ID 35	0,5 m				<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction tubes plastic									
Suction tube, DN 61	40	6.900-224.0						Plastic	<input type="checkbox"/>
Extension tube, metal									
Extension tube, metal, ID 35	41	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
Repair kits									
Repair set, C 40	42	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Repair kit ID 61	43	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	<input type="checkbox"/>
Suction hoses (without connectors)									
Suction hose, DN 32 and 35 (without connectors)	44	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete	45	4.440-264.0	1 piece(s)	ID 61	4 m			4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, smooth inside	46	4.440-328.0	1 piece(s)	ID 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside.	<input type="checkbox"/>
Suction hose, complete, DN 61, 10 m	47	4.440-467.0	1 piece(s)	ID 61	10 m			10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, oil-resistant	48	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	49	4.440-614.0	1 piece(s)	ID 61	10 m				<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, el.	50	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	<input type="checkbox"/>
Suction hose, complete	51	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 40, 4 m, oil-resistant,	52	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	<input type="checkbox"/>
Suction hose, complete	53	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete	54	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	<input type="checkbox"/>
Suction hose complete, ID 40, 10 m, oil-resistant	55	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	<input type="checkbox"/>
Connecting sleeves									
Connecting sleeve, ID 27, el.	56	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adapter, DN 32/35, with internal thread	57	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Adapter, DN 40 with internal thread	58	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	59	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Extension hoses (Clip-system)									
Extension hose, C 40	60	6.906-344.0	1 piece(s)	ID 40	2.5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description		
Sonstiges										
Pre-separator	61	3.864-010.0	1 piece(s)							<input type="checkbox"/>
Barrel separator	62	3.864-012.0	1 piece(s)							<input type="checkbox"/>
Lid for separator	63	4.063-132.0	1 piece(s)							<input type="checkbox"/>
Adapter ring for 200 l drum	64	6.902-051.0	1 piece(s)							<input type="checkbox"/>
CS 40 Me	65	2.863-026.0	1 piece(s)							<input type="checkbox"/>
Y-adapter kit										
Y-adapter kit	66	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.		<input type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)										
C-ID 35 adapter	67	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.		<input type="checkbox"/>
C 40 adapter	68	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.		<input type="checkbox"/>
C-DN 40 adapter	69	5.407-111.0	1 piece(s)	ID 40				Connects C 40 hose for ID 40, electrically conductive.		<input type="checkbox"/>
Adapter for electric power tools, clip on, el.										
Sleeve for tool C35EL	70	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.		<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	71	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.		<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	72	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.		<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	73	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.		<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	74	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.		<input type="checkbox"/>
Connecting sleeve for electric tools C 35, el.	75	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.		<input type="checkbox"/>
Adapter for electric power tools, screwable										
Adapter for electric power tools, screwable, ID 35	76	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.		<input type="checkbox"/>
Power tool adapter, threaded, DN 35	77	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.		<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	78	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.		<input type="checkbox"/>
Power tool adapter, threaded, DN 35	79	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.		<input type="checkbox"/>
	80	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.		<input type="checkbox"/>
Adapter (tube -> nozzle)										
Adapter	81	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.		<input type="checkbox"/>
Reducing sleeves										
Reducer	82	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.		<input type="checkbox"/>
Sleeve C40 / C35	83	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Reducer (tube -> nozzle)									
Reducer	84	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	85	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves									
Set reducing / extension sleeves	86	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Target group specific vacuum cleaner accessory sets									
Professional cleaning kit ID 40	87	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>
Car cleaning kit	88	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35	<input type="checkbox"/>
Industrial kit ID 61	89	2.637-355.0		ID 61				Individual parts: Suction hose 4 m (4.440-264.0), metal bend (6.902-011.0), metal suction tubes 2 x 0.5 m (6.902-013.0), grout nozzle (6.900-926.0), aluminium flat surface tool (4.130-415.0), metal floor tool (4.130-413.0).	<input type="checkbox"/>
Chip cleaning kit	90	2.640-760.0		ID 61				Individual parts: suction hose 4 m, oil-proof (4.440-613.0), crevice tool (6.900-222.0), rubber suction nozzle angled at 45° (6.902-106.0).	<input type="checkbox"/>
UBS non-conductive media									
	91	2.642-602.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0



		Order Number	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

KÄRCHER



		Order Number	Quantity	ID	Length / width	Price	Description	
Floor nozzles								
	1	4.130-413.0	1 piece(s)	ID 61	500 mm		Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	<input type="checkbox"/>
Other nozzles								
	2	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
	3	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	<input type="checkbox"/>
	4	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
Crevice tools								
	5	6.900-222.0	1 piece(s)	ID 61	370 x 64 mm		Grout nozzle, plastic, 370 mm	<input type="checkbox"/>
	6	6.900-926.0	1 piece(s)	ID 61	370 x 90 mm		Grout nozzle, stainless steel, 400 mm	<input type="checkbox"/>
Adapter								
	7	6.902-002.0	1 piece(s)	ID 52				<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 75/2 AP ME TC

1.667-292.0

		Order Number					Price	Description	
Suction hoses									
	1	2.639-905.0						Repair kit for all C-40 and ID 40 hoses	<input type="checkbox"/>
	2	6.389-839.0						(without connectors)	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.